

## Standard Item List

| <u>Item No</u> | <u>Description</u>              | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|---------------------------------|--------------|-------------------|---------------|--------------------|
| 201-3.1        | CLEARING                        | SY           | 5600-125          | N             | 10                 |
| 201-3.2        | CLEARING AND GRUBBING           | LS           | 5600-125          | N             | 20                 |
| 201-3.3A       | TREE REMOVAL (2" TO 6")         | EA           | 5600-125          | P             | 40                 |
| 201-3.3B       | TREE REMOVAL (7" TO 12")        | EA           | 5600-125          | P             | 50                 |
| 201-3.3C       | TREE REMOVAL (13" TO 24")       | EA           | 5600-125          | P             | 60                 |
| 201-3.3D       | TREE REMOVAL (OVER 24")         | EA           | 5600-125          | P             | 70                 |
| 201-3.4        | REPLACE TREE                    | EA           | 5600-125          | N             | 80                 |
| 201-3.5        | TREE ROOT CUTTING               | EA           | 5600-125          | N             | 0                  |
| 201-3.6        | BUILDING REMOVAL                | EA           | 5600-125          | N             | 0                  |
| 201-3.7        | FOUNDATION REMOVAL              | EA           | 5600-125          | N             | 0                  |
| 201-3.8        | TREE PRUNING                    | EA           | 5600-600          | N             | 0                  |
| 202-4.1        | UNCLASSIFIED EXCAVATION         | CY           | 5600-125          | P             | 10                 |
| 202-4.2        | ROCK EXCAVATION                 | CY           | 5600-125          | P             | 20                 |
| 202-4.3        | BORROW EXCAVATION               | CY           | 5600-125          | P             | 30                 |
| 203-3.1        | WATERING                        | M GAL        | 5600-125          | P             |                    |
| 204-3.1        | SUBGRADE PREPARATION            | SY           | 5600-125          | P             | 10                 |
| 204-3.1A       | SUBGRADE PREPARATION (1'DEEP)   | SY           | 5600-125          | N             | 20                 |
| 204-3.1B       | SUBGRADE PREP (1.5'DEEP)        | SY           | 5600-125          | N             | 30                 |
| 204-3.1C       | SUBGRADE PREPARATION (0 DEPTH)  | SY           | 5600-125          | N             | 0                  |
| 205-3.1        | SILT FENCE                      | LF           | 5600-125          | S             | 10                 |
| 205-4.1        | SILT FENCE w/WIRE BACKING       | LF           | 5600-125          | S             | 0                  |
| 205-4.10       | FIBER ROLL REMOVAL              | LF           | 5600-125          | S             | 0                  |
| 205-4.11       | SILT FENCE REMOVAL              | LF           | 5600-125          | S             | 0                  |
| 205-4.12       | DRAINAGE STRUCT. INLET FILTER   | EA           | 5600-125          | S             | 0                  |
| 205-4.13       | CONCRETE EROSION CONTROL BLKT.  | SF           | 5600-125          | S             | 0                  |
| 205-4.14       | EROSION CONTROL BERM            | EA           | 5600-125          | S             | 0                  |
| 205-4.2        | WEIGHTED FIBER ROLL             | LF           | 5600-125          | S             | 0                  |
| 205-4.3        | EROSION CONTROL BLANKET TYPE 1  | SY           | 5600-125          | S             | 0                  |
| 205-4.4        | EROSION CONTROL BLANKET TYPE 2  | SY           | 5600-125          | S             | 0                  |
| 205-4.5        | EROSION CONTROL BLANKET TYPE 3  | SY           | 5600-125          | S             | 0                  |
| 205-4.6        | EROSION CONTROL BLANKET TYPE 4  | SY           | 5600-125          | S             | 0                  |
| 205-4.7        | BALE DITCH CHECK                | LF           | 5600-125          | S             | 0                  |
| 205-4.8        | STRAW WATTLES, 9 INCH DIAMETER  | LF           | 5600-125          | S             | 0                  |
| 205-4.9        | STRAW WATTLES, 12 INCH DIAMETER | LF           | 5600-125          | S             | 0                  |
| 301-4.1        | SAND SUBBASE                    | TON          | 5600-125          | N             | 0                  |
| 302-4.1        | CLASS 5 AGGREGATE BASE          | TON          | 5600-200          | N             | 0                  |
| 302-4.2        | CLASS 13 AGGREGATE SURFACE      | TON          | 5600-200          | N             | 0                  |
| 302-4.3        | BLENDED BASE                    | CY           | 5600-200          | N             | 0                  |
| 302-4.3A       | BLENDED BASE                    | TON          | 5600-200          | N             | 0                  |
| 302-4.4        | MILLING MATERIAL PATCHING       | TON          | 5600-200          | N             | 0                  |
| 304-6.11A      | AC STABILIZED BASE(CL A PATCH)  | TON          | 5600-200          | N             | 0                  |
| 304-6.1A       | AC STABILIZED BASE (CLASS A)    | TON          | 5600-200          | A             | 20                 |
| 304-6.1B       | AC STABILIZED BASE (CLASS B)    | TON          | 5600-200          | A             | 30                 |
| 305-5.1        | MIXED IN-PLACE BASE COURSE      | SY           | 5600-200          | N             | 0                  |
| 305-5.2        | BITUMINOUS MATERIAL             | GAL          | 5600-200          | N             | 0                  |
| 401-6.10       | AC LEVELING COURSE (FAA 40)     | TON          | 5600-200          | N             | 0                  |
| 401-6.11       | AC LEVELING COURSE (FAA 41)     | TON          | 5600-200          | N             | 0                  |
| 401-6.12       | AC LEVELING COURSE (FAA 42)     | TON          | 5600-200          | N             | 0                  |
| 401-6.13       | AC LEVELING COURSE (FAA 43)     | TON          | 5600-200          | N             | 0                  |
| 401-6.14       | AC LEVELING COURSE (FAA 44)     | TON          | 5600-200          | N             | 0                  |
| 401-6.15       | AC LEVELING COURSE (FAA 45)     | TON          | 5600-200          | N             | 0                  |
| 401-6.1A       | AC LEVELING COURSE (CLASS A)    | TON          | 5600-200          | N             | 20                 |
| 401-6.1B       | AC LEVELING COURSE (CLASS B)    | TON          | 5600-200          | N             | 30                 |
| 401-6.20       | AC SUPERPAVE (FAA 40)           | TON          | 5600-200          | N             | 0                  |
| 401-6.21       | AC SUPERPAVE (FAA 41)           | TON          | 5600-200          | N             | 0                  |
| 401-6.21A      | AC SURFACE COURSE (CL A PATCH)  | TON          | 5600-200          | N             | 0                  |
| 401-6.21B      | AC SURFACE COURSE (CL B PATCH)  | TON          | 5600-200          | N             | 0                  |
| 401-6.22       | AC SUPERPAVE (FAA 42)           | TON          | 5600-200          | N             | 0                  |
| 401-6.22A      | AC SURFACE COURSE (CL A LEVEL)  | TON          | 5600-200          | N             | 0                  |
| 401-6.22B      | AC SURFACE COURSE (CL B LEVEL)  | TON          | 5600-200          | N             | 0                  |
| 401-6.23       | AC SUPERPAVE (FAA 43)           | TON          | 5600-200          | N             | 0                  |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 401-6.23A      | AC SURFACE COURSE (CL A O.L.)  | TON          | 5600-200          | N             | 0                  |
| 401-6.23B      | AC SURFACE COURSE (CL B O.L.)  | TON          | 5600-200          | N             | 0                  |
| 401-6.24       | AC SUPERPAVE (FAA 24)          | TON          | 5600-200          | N             | 0                  |
| 401-6.25       | AC SUPERPAVE (FAA 25)          | TON          | 5600-200          | N             | 0                  |
| 401-6.2A       | AC SURFACE COURSE (CLASS A)    | TON          | 5600-200          | N             | 60                 |
| 401-6.2B       | AC SURFACE COURSE (CLASS B)    | TON          | 5600-200          | N             | 0                  |
| 401-6.30       | AC PATCH (FAA 40)              | TON          | 5600-200          | N             | 0                  |
| 401-6.31       | AC PATCH (FAA 41)              | TON          | 5600-200          | N             | 0                  |
| 401-6.32       | AC PATCH (FAA 42)              | TON          | 5600-200          | N             | 0                  |
| 401-6.33       | AC PATCH (FAA 43)              | TON          | 5600-200          | N             | 0                  |
| 401-6.34       | AC PATCH (FAA 44)              | TON          | 5600-200          | N             | 0                  |
| 401-6.35       | AC PATCH (FAA 45)              | TON          | 5600-200          | N             | 0                  |
| 401-6.3A       | AC PATCH (CLASS A)             | TON          | 5600-200          | N             | 110                |
| 401-6.3B       | AC PATCH (CLASS B)             | TON          | 5600-200          | N             | 120                |
| 401-6.4        | ASPHALT CEMENT                 | GAL          | 5600-200          | A             | 140                |
| 401-6.5        | AC TRANSVERSE CRACK LEVELING   | TON          | 5600-200          | N             | 150                |
| 402-4.1        | BITUMINOUS PRIME COAT          | GAL          | 5600-200          | A             |                    |
| 402-4.2        | BITUMINOUS TACK COAT           | GAL          | 5600-200          | A             |                    |
| 403-4.1        | BITUMINOUS SEAL COAT           | SY           | 5600-200          | A             | 10                 |
| 403-4.1A       | POLYMER SEAL COAT              | SY           | 5600-200          | A             | 20                 |
| 403-4.2        | BLOTTER SAND                   | TON          | 5600-200          | A             | 30                 |
| 404-4.1        | MILLING PAVEMENT SURFACE       | TON          | 5600-200          | N             |                    |
| 405-8.1        | EMULSION & ASPH. CEM. SEALANTS | LF           | 5600-200          | A             | 10                 |
| 405-8.2        | RUBBERIZED ASPH. SEALANTS      | LF           | 5600-200          | A             | 20                 |
| 405-8.3        | SELF-LEVELING SILICONE SEALANT | LF           | 5600-200          | A             | 30                 |
| 405-8.4        | FIBERIZED ASPH. SEALANTS       | LF           | 5600-200          | A             | 40                 |
| 405-8.5        | BOND BREAKER MATERIAL          | LF           | 5600-200          | A             | 50                 |
| 405-8.6        | ROUTED/SAWN CRACKS             | LF           | 5600-200          | A             | 60                 |
| 406-4.1        | ASPHALT REMOVAL                | SY           | 5600-200          | N             |                    |
| 501-4.1        | P.C.C. PAVEMENT                | SY           | 5600-275          | N             | 10                 |
| 501-4.10       | SELECT BACKFILL                | TON          | 5600-275          | C             | 100                |
| 501-4.11       | ADDITIONAL PORTLAND CEMENT     | SACK         | 5600-275          | C             | 110                |
| 501-4.2        | CONC. JOINT & CRACK SEALING    | LF           | 5600-275          | N             | 20                 |
| 501-4.3        | CONC. SAW & SEAL JOINTS        | LF           | 5600-275          | N             | 30                 |
| 501-4.4        | CONC. FULL DEPTH REPAIR        | SF           | 5600-275          | N             | 40                 |
| 501-4.5        | SAWING CONCRETE                | LF           | 5600-275          | N             | 50                 |
| 502-4.1        | SLABJACKING 4" CONCRETE        | SF           | 5600-275          | N             | 0                  |
| 502-4.2        | SLABJACKING 6" CONCRETE        | SF           | 5600-275          | N             | 0                  |
| 502-4.3        | SLABJACKING 8" CONCRETE        | SF           | 5600-275          | N             | 0                  |
| 502-4.4        | SLABJACKING STD. CURB & GUTTER | LF           | 5600-275          | N             | 0                  |
| 502-4.5        | SLABJACKING 8" CURB & GUTTER   | LF           | 5600-275          | N             | 0                  |
| 503-4.1        | CONTROLLED DENSITY FILL        | CY           | 5600-425          | W             |                    |
| 601-4.1        | 4" CONCRETE                    | SF           | 5600-325          | N             | 10                 |
| 601-4.2        | REPEALED (2014)                | SF           | 5600-325          | N             | 20                 |
| 601-4.3        | 4" CONCRETE REMOVAL            | SF           | 5600-325          | N             | 30                 |
| 601-4.4        | DETECTABLE WARNING PANEL (CI)  | SF           | 5600-325          | N             | 0                  |
| 601-4.5        | DETECTABLE WARNING PANELS      | SF           | 5600-325          | N             | 50                 |
| 601-4.6        | SIDEWALK TRENCH DRAIN-12" WIDE | LF           | 5600-325          | N             | 0                  |
| 601-4.7        | SIDEWALK TRENCH DRAIN-18" WIDE | LF           | 5600-325          | N             | 0                  |
| 601-4.8        | SIDEWALK TRENCH DRAIN-24" WIDE | LF           | 5600-325          | N             | 0                  |
| 601-4.9        | SIDEWALK TRENCH DRAIN-30" WIDE | LF           | 5600-325          | N             | 0                  |
| 602-4.1        | 6" CONCRETE                    | SF           | 5600-325          | N             | 10                 |
| 602-4.2        | 8" CONCRETE                    | SF           | 5600-325          | N             | 20                 |
| 602-4.2A       | 8" CONCRETE REMOVAL            | SF           | 5600-325          | C             | 30                 |
| 602-4.3        | 6" CONCRETE REMOVAL            | SF           | 5600-325          | N             | 40                 |
| 602-4.4        | REPEALED (2014)                | SF           | 5600-175          | N             | 50                 |
| 602-4.5        | REPEALED (2014)                | SF           | 5600-175          | N             | 60                 |
| 602-4.6        | REPEALED (2014)                | SF           | 5600-325          | N             | 0                  |
| 603-5.1        | REPEALED (2014)                | LF           | 5600-275          | N             | 10                 |
| 603-5.2        | STANDARD CURB                  | LF           | 5600-150          | C             | 20                 |
| 603-5.3        | STANDARD CURB & GUTTER         | LF           | 5600-150          | C             | 30                 |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 603-5.4        | CURB & GUTTER (8" GUTTER)      | LF           | 5600-150          | C             | 40                 |
| 603-5.5        | MOUNTABLE CURB & GUTTER        | LF           | 5600-150          | C             | 50                 |
| 603-5.6        | CURB & GUTTER REMOVED          | LF           | 5600-150          | C             | 60                 |
| 603-5.7        | REPEALED (2014)                | LF           | 5600-150          | N             | 70                 |
| 603-5.8        | REPEALED (2014)                | LF           | 5600-175          | N             | 80                 |
| 701-4.1        | STRUCTURAL P.C. CONCRETE       | CY           | 5600-500          | S             | 10                 |
| 801-4.1        | 6" SANITARY SEWER PIPE         | LF           | 5600-400          | S             | 10                 |
| 801-4.10       | 30" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 100                |
| 801-4.11       | 36" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 110                |
| 801-4.12       | 42" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 120                |
| 801-4.13       | 48" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 130                |
| 801-4.1a       | 8" STORM SEWER PIPE            | LF           | 5600-500          | S             | 0                  |
| 801-4.2        | 8" SANITARY SEWER PIPE         | LF           | 5600-400          | S             | 20                 |
| 801-4.3        | 10" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 30                 |
| 801-4.4        | 12" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 40                 |
| 801-4.5        | 15" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 50                 |
| 801-4.50       | 8 X 4 WYE BRANCH               | EA           | 5600-475          | S             | 60                 |
| 801-4.51       | 8 X 6 WYE BRANCH               | EA           | 5600-475          | S             | 70                 |
| 801-4.52       | 10 X 4 WYE BRANCH              | EA           | 5600-475          | S             | 80                 |
| 801-4.53       | 10 X 6 WYE BRANCH              | EA           | 5600-475          | S             | 90                 |
| 801-4.54       | 12 X 4 WYE BRANCH              | EA           | 5600-475          | S             | 100                |
| 801-4.55       | 12 X 6 WYE BRANCH              | EA           | 5600-475          | S             | 110                |
| 801-4.56       | 15 X 4 WYE BRANCH              | EA           | 5600-475          | S             | 120                |
| 801-4.57       | 15 X 6 WYE BRANCH              | EA           | 5600-475          | S             | 130                |
| 801-4.58       | 18 X 4 WYE BRANCH              | EA           | 5600-475          | S             | 140                |
| 801-4.59       | 18 X 6 WYE BRANCH              | EA           | 5600-475          | S             | 150                |
| 801-4.6        | 18" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 60                 |
| 801-4.60       | BEDDING MATERIAL               | TON          | 5600-400          | S             | 160                |
| 801-4.60       | BEDDING MATERIAL               | TON          | 5600-425          | W             | 170                |
| 801-4.61       | SUBCUT GRAVEL                  | TON          | 5600-400          | S             | 180                |
| 801-4.61       | SUBCUT GRAVEL                  | TON          | 5600-425          | W             | 190                |
| 801-4.62       | ROCK EXCAVATION                | CY           | 5600-425          | W             | 0                  |
| 801-4.62       | ROCK EXCAVATION                | CY           | 5600-500          | S             | 0                  |
| 801-4.64       | TELEWISE SEWERMAIN             | LF           | 5600-400          | S             | 220                |
| 801-4.65       | 4" CLEANOUT                    | EA           | 5600-400          | S             | 230                |
| 801-4.66       | 6" CLEANOUT                    | EA           | 5600-400          | S             | 240                |
| 801-4.67       | 8" CLEANOUT                    | EA           | 5600-400          | S             | 250                |
| 801-4.68       | 12" CLEANOUT                   | EA           | 5600-400          | S             | 260                |
| 801-4.7        | 21" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 70                 |
| 801-4.8        | 24" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 80                 |
| 801-4.9        | 27" SANITARY SEWER PIPE        | LF           | 5600-400          | S             | 90                 |
| 802-4.1        | 12" STORM SEWER PIPE           | LF           | 5600-500          | S             | 10                 |
| 802-4.10       | 42" STORM SEWER PIPE           | LF           | 5600-500          | S             | 100                |
| 802-4.100      | 6" CLEANOUT - IN-LINE          | EA           | 5600-500          | S             | 0                  |
| 802-4.101      | 6" CLEANOUT - END OF RUN       | EA           | 5600-500          | S             | 0                  |
| 802-4.102      | DRAINAGE AGGREGATE             | TON          | 5600-500          | S             | 0                  |
| 802-4.11       | 48" STORM SEWER PIPE           | LF           | 5600-500          | S             | 110                |
| 802-4.12       | 54" STORM SEWER PIPE           | LF           | 5600-500          | S             | 120                |
| 802-4.13       | 60" STORM SEWER PIPE           | LF           | 5600-500          | S             | 130                |
| 802-4.14       | 66" STORM SEWER PIPE           | LF           | 5600-500          | S             | 140                |
| 802-4.15       | 72" STORM SEWER PIPE           | LF           | 5600-500          | S             | 150                |
| 802-4.16       | 78" STORM SEWER PIPE           | LF           | 5600-500          | S             | 160                |
| 802-4.17       | 84" STORM SEWER PIPE           | LF           | 5600-500          | S             | 170                |
| 802-4.18       | 90" STORM SEWER PIPE           | LF           | 5600-500          | S             | 180                |
| 802-4.19       | 96" STORM SEWER PIPE           | LF           | 5600-500          | S             | 190                |
| 802-4.1A       | 8" STORM SEWER PIPE            | LF           | 5600-500          | S             | 0                  |
| 802-4.2        | 15" STORM SEWER PIPE           | LF           | 5600-500          | S             | 20                 |
| 802-4.25       | 13.5"X22" ARCHED ST SEWER PIPE | LF           | 5600-500          | S             | 200                |
| 802-4.26       | 18"X28.5" ARCHED ST SEWER PIPE | LF           | 5600-500          | S             | 210                |
| 802-4.27       | 22.5"X36.3"ARCHED S SEWER PIPE | LF           | 5600-500          | S             | 220                |
| 802-4.28       | 26.6"X43.8"ARCHED S SEWER PIPE | LF           | 5600-500          | S             | 230                |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 802-4.29       | 31.3"X51.1"ARCHED S SEWER PIPE | LF           | 5600-500          | S             | 240                |
| 802-4.3        | 18" STORM SEWER PIPE           | LF           | 5600-500          | S             | 30                 |
| 802-4.30       | 36"X58.5" ARCHED S SEWER PIPE  | LF           | 5600-500          | S             | 250                |
| 802-4.31       | 40"X65" ARCHED S SEWER PIPE    | LF           | 5600-500          | S             | 260                |
| 802-4.32       | 45"X73" ARCHED S SEWER PIPE    | LF           | 5600-500          | S             | 270                |
| 802-4.33       | 54"X88" ARCHED S SEWER PIPE    | LF           | 5600-500          | S             | 280                |
| 802-4.34       | 62"X102" ARCHED S SEWER PIPE   | LF           | 5600-500          | S             | 290                |
| 802-4.36       | 12" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 300                |
| 802-4.37       | 15" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 310                |
| 802-4.38       | 18" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 320                |
| 802-4.39       | 21" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 330                |
| 802-4.4        | 21" STORM SEWER PIPE           | LF           | 5600-500          | S             | 40                 |
| 802-4.40       | 24" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 340                |
| 802-4.41       | 30" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 350                |
| 802-4.42       | 36" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 360                |
| 802-4.43       | 42" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 370                |
| 802-4.44       | 48" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 380                |
| 802-4.45       | 54" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 390                |
| 802-4.46       | 60" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 400                |
| 802-4.47       | 66" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 410                |
| 802-4.48       | 72" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 420                |
| 802-4.49       | 78" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 430                |
| 802-4.5        | 24" STORM SEWER PIPE           | LF           | 5600-500          | S             | 50                 |
| 802-4.50       | 84" CORR STEEL ST SEWER PIPE   | LF           | 5600-500          | S             | 440                |
| 802-4.51       | 12" FLARED END SECTION         | EA           | 5600-500          | S             | 450                |
| 802-4.52       | 15" FLARED END SECTION         | EA           | 5600-500          | S             | 460                |
| 802-4.53       | 18" FLARED END SECTION         | EA           | 5600-500          | S             | 470                |
| 802-4.54       | 21" FLARED END SECTION         | EA           | 5600-500          | S             | 480                |
| 802-4.55       | 24" FLARED END SECTION         | EA           | 5600-500          | S             | 490                |
| 802-4.56       | 27" FLARED END SECTION         | EA           | 5600-500          | S             | 500                |
| 802-4.57       | 30" FLARED END SECTION         | EA           | 5600-500          | S             | 510                |
| 802-4.58       | 33" FLARED END SECTION         | EA           | 5600-500          | S             | 520                |
| 802-4.59       | 36" FLARED END SECTION         | EA           | 5600-500          | S             | 60                 |
| 802-4.6        | 27" STORM SEWER PIPE           | LF           | 5600-500          | S             | 530                |
| 802-4.60       | 42" FLARED END SECTION         | EA           | 5600-500          | S             | 540                |
| 802-4.61       | 48" FLARED END SECTION         | EA           | 5600-500          | S             | 550                |
| 802-4.62       | 54" FLARED END SECTION         | EA           | 5600-500          | S             | 560                |
| 802-4.63       | 60" FLARED END SECTION         | EA           | 5600-500          | S             | 570                |
| 802-4.64       | 66" FLARED END SECTION         | EA           | 5600-500          | S             | 580                |
| 802-4.65       | 72" FLARED END SECTION         | EA           | 5600-500          | S             | 590                |
| 802-4.66       | 78" FLARED END SECTION         | EA           | 5600-500          | S             | 600                |
| 802-4.67       | 84" FLARED END SECTION         | EA           | 5600-500          | S             | 610                |
| 802-4.68       | 90" FLARED END SECTION         | EA           | 5600-500          | S             | 620                |
| 802-4.69       | 96" FLARED END SECTION         | EA           | 5600-500          | S             | 70                 |
| 802-4.7        | 30" STORM SEWER PIPE           | LF           | 5600-500          | S             | 630                |
| 802-4.70       | 13.5"X22" FLARED END SECTION   | EA           | 5600-500          | S             | 640                |
| 802-4.71       | 18"X28.5" FLARED END SECTION   | EA           | 5600-500          | S             | 650                |
| 802-4.72       | 22.5"X36.3" FLARED END SECTION | EA           | 5600-500          | S             | 660                |
| 802-4.73       | 26.6"X43.8" FLARED END SECTION | EA           | 5600-500          | S             | 670                |
| 802-4.74       | 31.3"X51.1" FLARED END SECTION | EA           | 5600-500          | S             | 680                |
| 802-4.75       | 36"X58.5" FLARED END SECTION   | EA           | 5600-500          | S             | 690                |
| 802-4.76       | 40"X65" FLARED END SECTION     | EA           | 5600-500          | S             | 700                |
| 802-4.77       | 45"X73" FLARED END SECTION     | EA           | 5600-500          | S             | 710                |
| 802-4.78       | 54"X88" FLARED END SECTION     | EA           | 5600-500          | S             | 720                |
| 802-4.79       | 62"X102" FLARED END SECTION    | EA           | 5600-500          | S             | 730                |
| 802-4.8        | 33" STORM SEWER PIPE           | LF           | 5600-500          | S             | 80                 |
| 802-4.80       | 4" PERFORATED PIPE             | LF           | 5600-525          | S             | 740                |
| 802-4.81       | 6" PERFORATED PIPE             | LF           | 5600-525          | S             | 750                |
| 802-4.82       | 8" PERFORATED PIPE             | LF           | 5600-525          | S             | 760                |
| 802-4.83       | 10" PERFORATED PIPE            | LF           | 5600-525          | S             | 770                |
| 802-4.84       | 12" PERFORATED PIPE            | LF           | 5600-525          | S             | 780                |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 802-4.85       | 15" PERFORATED PIPE            | LF           | 5600-525          | S             | 790                |
| 802-4.86       | 18" PERFORATED PIPE            | LF           | 5600-525          | S             | 800                |
| 802-4.9        | 36" STORM SEWER PIPE           | LF           | 5600-500          | S             | 90                 |
| 802-4.94       | RIPRAP-TYPE VL                 | TON          | 5600-500          | S             | 81                 |
| 802-4.95       | RIPRAP-TYPE L                  | TON          | 5600-500          | S             | 82                 |
| 802-4.96       | RIPRAP-TYPE M                  | TON          | 5600-500          | S             | 83                 |
| 802-4.97       | RIPRAP-TYPE H                  | TON          | 5600-500          | S             | 84                 |
| 802-4.98       | RIPRAP-TYPE VH                 | TON          | 5600-500          | S             | 85                 |
| 802-4.99       | RIPRAP GROUT                   | CY           | 5600-500          | S             | 86                 |
| 901-4.10       | 6" WATERMAIN                   | LF           | 5600-425          | W             | 10                 |
| 901-4.11       | 8" WATERMAIN                   | LF           | 5600-425          | W             | 20                 |
| 901-4.12       | 10" WATERMAIN                  | LF           | 5600-425          | W             | 30                 |
| 901-4.13       | 12" WATERMAIN                  | LF           | 5600-425          | W             | 40                 |
| 901-4.14       | 14" WATERMAIN                  | LF           | 5600-425          | W             | 50                 |
| 901-4.15       | 16" WATERMAIN                  | LF           | 5600-425          | W             | 60                 |
| 901-4.16       | 18" WATERMAIN                  | LF           | 5600-425          | W             | 70                 |
| 901-4.17       | 20" WATERMAIN                  | LF           | 5600-425          | W             | 80                 |
| 901-4.18       | 24" WATERMAIN                  | LF           | 5600-425          | W             | 90                 |
| 901-4.19       | 30" WATERMAIN                  | LF           | 5600-425          | W             | 100                |
| 901-4.20       | 36" WATERMAIN                  | LF           | 5600-425          | W             | 110                |
| 901-4.21       | 42" WATERMAIN                  | LF           | 5600-425          | W             | 120                |
| 901-4.22       | 48" WATERMAIN                  | LF           | 5600-425          | W             | 130                |
| 901-4.40       | 30" BUTTERFLY VALVE & BOX      | EA           | 5600-425          | W             | 140                |
| 901-4.41       | 36" BUTTERFLY VALVE & BOX      | EA           | 5600-425          | W             | 150                |
| 901-4.42       | 42" BUTTERFLY VALVE & BOX      | EA           | 5600-425          | W             | 160                |
| 901-4.43       | 48" BUTTERFLY VALVE & BOX      | EA           | 5600-425          | W             | 170                |
| 901-4.50       | 4" GATE VALVE & BOX            | EA           | 5600-475          | W             | 180                |
| 901-4.51       | 6" GATE VALVE & BOX            | EA           | 5600-425          | W             | 190                |
| 901-4.52       | 8" GATE VALVE & BOX            | EA           | 5600-425          | W             | 200                |
| 901-4.53       | 10" GATE VALVE & BOX           | EA           | 5600-425          | W             | 210                |
| 901-4.54       | 12" GATE VALVE & BOX           | EA           | 5600-425          | W             | 220                |
| 901-4.55       | 14" GATE VALVE & BOX           | EA           | 5600-425          | W             | 230                |
| 901-4.56       | 16" GATE VALVE & BOX           | EA           | 5600-425          | W             | 240                |
| 901-4.57       | 18" GATE VALVE & BOX           | EA           | 5600-425          | W             | 250                |
| 901-4.58       | 20" GATE VALVE & BOX           | EA           | 5600-425          | W             | 260                |
| 901-4.59       | 24" GATE VALVE & BOX           | EA           | 5600-425          | W             | 270                |
| 901-4.60       | 30" GATE VALVE & BOX           | EA           | 5600-425          | W             | 280                |
| 901-4.61       | 36" GATE VALVE & BOX           | EA           | 5600-425          | W             | 290                |
| 901-4.70       | 6" HYDRANT                     | EA           | 5600-425          | W             | 300                |
| 901-4.71       | 8" HYDRANT                     | EA           | 5600-425          | W             | 310                |
| 901-4.77       | RESET HYDRANT                  | EA           | 5600-425          | W             | 320                |
| 901-4.78       | INSULATE WATERMAIN             | LF           | 5600-425          | W             | 330                |
| 901-4.79       | 8"X4" TAPPING SLEEVE & VALVE   | EA           | 5600-425          | W             | 0                  |
| 901-4.80       | 8"X6" TAPPING SLEEVE & VALVE   | EA           | 5600-425          | W             | 340                |
| 901-4.81       | 10"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 350                |
| 901-4.82       | 10"X8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 360                |
| 901-4.83       | 12"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 370                |
| 901-4.84       | 12"X8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 380                |
| 901-4.85       | 16"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 390                |
| 901-4.86       | 16"X8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 400                |
| 901-4.87       | 16"X12" TAPPING SLEEVE & VALVE | EA           | 5600-425          | W             | 410                |
| 901-4.88       | 20"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 420                |
| 901-4.89       | 20"X8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 430                |
| 901-4.90       | 20"X12" TAPPING SLEEVE & VALVE | EA           | 5600-425          | W             | 440                |
| 901-4.91       | 24"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 450                |
| 901-4.92       | 24"X8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 460                |
| 901-4.93       | 24"X12" TAPPING SLEEVE & VALVE | EA           | 5600-425          | W             | 470                |
| 901-4.94       | 30"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 480                |
| 901-4.95       | 30"X8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 490                |
| 901-4.96       | 30"X12" TAPPING SLEEVE & VALVE | EA           | 5600-425          | W             | 500                |
| 901-4.97       | 36"X6" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 510                |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 901-4.98       | 36"x8" TAPPING SLEEVE & VALVE  | EA           | 5600-425          | W             | 520                |
| 901-4.99       | 36"x12" TAPPING SLEEVE & VALVE | EA           | 5600-425          | W             | 530                |
| 1001-4.1       | TYPE B STREETLIGHT UNIT        | EA           | 5600-350          | L             | 10                 |
| 1001-4.10      | 2" CONDUIT (JACKED)            | LF           | 5600-350          | L             | 60                 |
| 1001-4.11      | 2" CONDUIT (LAID)              | LF           | 5600-350          | L             | 70                 |
| 1001-4.12      | TRENCHING 27" DEEP             | LF           | 5600-350          | L             | 80                 |
| 1001-4.13      | TRENCHING 48" DEEP             | LF           | 5600-350          | L             | 90                 |
| 1001-4.2       | TYPE "B1" STREET LIGHT UNIT    | EA           | 5600-350          | L             | 20                 |
| 1001-4.20      | JUNCTION BOXES                 | EA           | 5600-350          | L             | 100                |
| 1001-4.21      | 2-NO. 4 CONDUCTORS             | LF           | 5600-350          | L             | 110                |
| 1001-4.22      | 3-NO. 4 CONDUCTORS             | LF           | 5600-350          | L             | 120                |
| 1001-4.23      | 2-NO.2 CONDUCTORS              | LF           | 5600-350          | L             | 130                |
| 1001-4.24      | 3- NO. 2 CONDUCTORS            | LF           | 5600-350          | L             | 140                |
| 1001-4.25      | NO.6 COPPER GROUND             | LF           | 5600-350          | L             | 150                |
| 1001-4.26      | MAIL BOXES-REMOVE & RESET      | EA           | 5600-350          | N             | 160                |
| 1001-4.28      | STREET LIGHT BASE              | EA           | 5600-350          | L             | 170                |
| 1001-4.29      | REMOVE STREET LIGHT STANDARD   | EA           | 5600-350          | N             | 180                |
| 1001-4.3       | TYPE "C" STREET LIGHT UNIT     | EA           | 5600-350          | L             | 30                 |
| 1001-4.30      | RELOCATE STREET LIGHT POLE     | EA           | 5600-350          | L             | 190                |
| 1001-4.31      | 2 NO. 6 CONDUCTORS             | LF           | 5600-350          | N             | 0                  |
| 1001-4.32      | 3 NO. 6 CONDUCTOR              | LF           | 5600-350          | N             | 0                  |
| 1001-4.4       | TYPE "C1" STREET LIGHT UNIT    | EA           | 5600-350          | L             | 40                 |
| 1001-4.5       | TYPE BR STREET LIGHT UNIT      | EA           | 5600-350          | L             | 50                 |
| 1001-4.6       | TYPE "D1" STREET LIGHT UNIT    | EA           | 5600-350          | N             | 0                  |
| 1001-4.7       | TYPE "D2" STREET LIGHT UNIT    | EA           |                   | N             | 0                  |
| 1201-4.1       | TOPSOILING                     | CY           | 5600-675          | N             | 10                 |
| 1202-4.1       | SEEDING CLASS 1                | SY           | 5600-675          | P             | 10                 |
| 1202-4.2       | SEEDING CLASS II               | SY           | 5600-675          | P             | 20                 |
| 1202-4.3       | SEEDING CLASS III              | SY           | 5600-675          | P             | 30                 |
| 1202-4.4       | SEEDING CLASS IV               | SY           | 5600-675          | P             | 40                 |
| 1202-4.5       | SEEDING CLASS V                | SY           | 5600-675          | P             | 50                 |
| 1202-4.6       | SEEDING CLASS VI               | SY           | 5600-675          | P             | 60                 |
| 1202-4.7       | GRASS MAINTENANCE              | LS           | 5600-675          | P             | 70                 |
| 1203-4.1       | SODDING                        | SY           | 5600-675          | P             | 10                 |
| 1204-4.1       | MULCHING                       | SY           | 5600-675          | P             | 10                 |
| 1205-4.1       | CONCRETE MANHOLE               | EA           | 5600-400          | S             | 10                 |
| 1205-4.10      | CATCH BASIN                    | EA           | 5600-500          | S             | 100                |
| 1205-4.11      | REMOVE CATCH BASIN or INLET    | EA           | 5600-500          | S             | 110                |
| 1205-4.12      | 12" SLOTTED DRAIN              | LF           | 5600-500          | S             | 120                |
| 1205-4.13      | 15" SLOTTED DRAIN              | LF           | 5600-500          | S             | 130                |
| 1205-4.14      | 18" SLOTTED DRAIN              | LF           | 5600-500          | S             | 140                |
| 1205-4.15      | 21" SLOTTED DRAIN              | LF           | 5600-500          | S             | 150                |
| 1205-4.16      | 24" SLOTTED DRAIN              | LF           | 5600-500          | S             | 160                |
| 1205-4.17      | 30" SLOTTED DRAIN              | LF           | 5600-500          | S             | 170                |
| 1205-4.18      | 36" SLOTTED DRAIN              | LF           | 5600-500          | S             | 180                |
| 1205-4.1C      | 60" CONCRETE MANHOLE           | EA           | 5600-500          | S             | 0                  |
| 1205-4.1J      | 108" CONCRETE MANHOLE          | EA           | 5600-500          | S             | 0                  |
| 1205-4.2       | CONC. MH w/MONOLITHIC BASE     | EA           | 5600-400          | S             | 20                 |
| 1205-4.3       | CONCRETE DROP MANHOLE          | EA           | 5600-400          | S             | 30                 |
| 1205-4.4       | AIR RELEASE VALVE & MANHOLE    | EA           | 5600-425          | W             | 40                 |
| 1205-4.5       | TYPE 24" INLET                 | EA           | 5600-500          | S             | 50                 |
| 1205-4.6       | TYPE 24" INLET/MANHOLE         | EA           | 5600-500          | S             | 60                 |
| 1205-4.6A      | TYPE 36" INLET/60" MANHOLE     | EA           | 5600-500          | S             | 0                  |
| 1205-4.6B      | TYPE 36' INLET/72" MANHOLE     | EA           | 5600-500          | S             | 0                  |
| 1205-4.7       | TYPE 36" INLET                 | EA           | 5600-500          | S             | 70                 |
| 1205-4.8       | TYPE 72" INLET                 | EA           | 5600-500          | S             | 80                 |
| 1205-4.9       | TYPE 108" or LARGER INLET      | EA           | 5600-500          | S             | 90                 |
| 1206-4.1       | ADJ MANHOLE CASTING-ASPH PVMT  | EA           | 5600-600          | N             | 10                 |
| 1206-4.10      | FURN&ADJ 108"or LGR INLET CAST | EA           | 5600-600          | M             | 110                |
| 1206-4.11      | ADJUST VALVE BOX-ASPH PVMT     | EA           | 5600-600          | N             | 120                |
| 1206-4.11A     | ADJUST VALVE BOX W RISER       | EA           | 5600-600          | N             | 0                  |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 1206-4.12      | WATER STOP BOX EXTENSION       | EA           | 5600-475          | W             | 130                |
| 1206-4.14      | ADJUST VALVE BOX IN CONCRETE   | EA           | 5600-325          | N             | 150                |
| 1206-4.15      | ADJUST MH CASTING-CONCRETE     | EA           | 5600-600          | N             | 160                |
| 1206-4.16      | FURN & ADJ. M.H. CAST-CONCRETE | EA           | 5600-600          | N             | 170                |
| 1206-4.17      | ADJ M.H. CASTING-UNPAVED AREA  | EA           | 5600-600          | N             | 180                |
| 1206-4.18      | FURN &ADJ MH CAST-UNPAVED AREA | EA           | 5600-600          | N             | 190                |
| 1206-4.19      | ADJ VALVE BOX-UNPAVED AREA     | EA           | 5600-600          | N             | 210                |
| 1206-4.1A      | ADJUST MANHOLE CASTING W RINGS | EA           | 5600-600          | N             | 0                  |
| 1206-4.2       | FURN &ADJ. M.H. CAST-ASPH PVMT | EA           | 5600-600          | N             | 20                 |
| 1206-4.3       | ADJUST TYPE 24" INLET CASTING  | EA           | 5600-600          | N             | 30                 |
| 1206-4.4       | FURN & ADJ TYPE 24" INLET CAST | EA           | 5600-600          | M             | 40                 |
| 1206-4.5       | ADJUST TYPE 36" INLET CASTING  | EA           | 5600-600          | M             | 50                 |
| 1206-4.6       | FURN & ADJ TYPE 36" INLET CAST | EA           | 5600-600          | M             | 60                 |
| 1206-4.7       | ADJUST TYPE 72" INLET CASTING  | EA           | 5600-600          | M             | 70                 |
| 1206-4.8       | FURN & ADJ TYPE 72" INLET CAST | EA           | 5600-600          | M             | 80                 |
| 1206-4.9       | ADJ TYPE 108"or LGR INLET CAST | EA           | 5600-600          | M             | 90                 |
| 1207-4.1       | GEOGRID                        | SY           | 5600-200          | N             | 0                  |
| 1207-4.2       | GEOTEXTILE REINF FABRIC        | SY           | 000-0000          | N             | 0                  |
| 1207-4.4       | GEOTEXTILE UNDERDRAIN FABRIC   | SY           | 000-0000          | N             | 0                  |
| 1208-4.1       | 4' CHAIN LINK FENCE            | LF           | 5600-675          | P             | 10                 |
| 1208-4.10      | 4' CHAIN LINK GATE             | EA           | 5600-675          | P             | 70                 |
| 1208-4.11      | 6' CHAIN LINK GATE             | EA           | 5600-675          | P             | 80                 |
| 1208-4.12      | 12' CHAIN LINK GATE            | EA           | 5600-675          | P             | 90                 |
| 1208-4.13      | 24' CHAIN LINK GATE            | EA           | 5600-675          | P             | 100                |
| 1208-4.2       | 5' CHAIN LINK FENCE            | LF           | 5600-675          | P             | 20                 |
| 1208-4.3       | 6' CHAIN LINK FENCE            | LF           | 5600-675          | P             | 30                 |
| 1208-4.4       | 7' CHAIN LINK FENCE            | LF           | 5600-675          | P             | 40                 |
| 1208-4.5       | 8' CHAIN LINK FENCE            | LF           | 5600-675          | P             | 50                 |
| 1208-4.6       | 10' CHAIN LINK FENCE           | LF           | 5600-675          | P             | 60                 |
| 1209-4.1       | 4" SEWER SERVICE PIPE          | LF           | 5600-475          | S             | 10                 |
| 1209-4.11      | 3/4" CU WATER SERVICE PIPE     | LF           | 5600-475          | W             | 50                 |
| 1209-4.12      | 1" CU WATER SERVICE PIPE       | LF           | 5600-475          | W             | 60                 |
| 1209-4.13      | 1 1/4" CU WATER SERVICE PIPE   | LF           | 5600-475          | W             | 70                 |
| 1209-4.14      | 1 1/2" CU WATER SERVICE PIPE   | LF           | 5600-475          | W             | 80                 |
| 1209-4.15      | 2" CU WATER SERVICE PIPE       | LF           | 5600-475          | W             | 90                 |
| 1209-4.16      | 3" WATER SERVICE LINE          | LF           | 5600-475          | W             | 100                |
| 1209-4.17      | 4" WATER SERVICE LINE          | LF           | 5600-475          | W             | 110                |
| 1209-4.2       | 6" SEWER SERVICE PIPE          | LF           | 5600-475          | S             | 20                 |
| 1209-4.40      | 3/4" WATER SERVICE CONNECTION  | EA           | 5600-475          | W             | 120                |
| 1209-4.41      | 1" WATER SERVICE CONNECTION    | EA           | 5600-475          | W             | 130                |
| 1209-4.42      | 1 1/4" WATER SRVC CONNECTION   | EA           | 5600-475          | W             | 140                |
| 1209-4.43      | 1 1/2" WATER SRVC CONNECTION   | EA           | 5600-475          | W             | 150                |
| 1209-4.44      | 2" WATER SERVICE CONNECTION    | EA           | 5600-475          | W             | 160                |
| 1209-4.46      | 4" WATER SERVICE CONNECTION    | EA           | 5600-475          | W             | 170                |
| 1209-4.50      | 3/4" CB STOP & 1 1/4" CB BOX   | EA           | 5600-475          | W             | 180                |
| 1209-4.51      | 1" CB STOP & 1 1/2" CB BOX     | EA           | 5600-475          | W             | 190                |
| 1209-4.52      | 1 1/4" CB STOP & 2" CB BOX     | EA           | 5600-475          | W             | 200                |
| 1209-4.53      | 1 1/2" CB STOP & 2" CB BOX     | EA           | 5600-475          | W             | 210                |
| 1209-4.54      | 2" CB STOP & 2" CB BOX         | EA           | 5600-475          | W             | 220                |
| 1209-4.55      | DISCONNECT WATER SERVICE LINE  | EA           | 5600-475          | W             | 220                |
| 1209-4.6       | 4" 45-DEGREE BEND              | EA           | 5600-475          | S             | 30                 |
| 1209-4.7       | 6" 45-DEGREE BEND              | EA           | 5600-475          | S             | 40                 |
| 1209-4.8       | 8" 45-DEGREE BEND              | EA           | 5600-475          | S             | 0                  |
| 1210-4.1       | PVMT MRKNG PAINTED - 4" LN     | LF           | 5600-650          | N             | 0                  |
| 1210-4.11      | PVMT MRKNG PAINTED - 6" LN     | LF           | 5600-650          | N             | 0                  |
| 1210-4.12      | PVMT MRKNG PAINTED - 8" LN     | LF           | 5600-650          | N             | 0                  |
| 1210-4.13      | PVMT MRKNG PAINTED - 24" LN    | LF           | 5600-650          | N             | 0                  |
| 1210-4.14      | PVMT MRKNG PAINTED - MESSAGE   | SF           | 5600-650          | N             | 0                  |
| 1210-4.2       | PREPAT PVMT MRKNG FLM-4" LN    | LF           | 5600-650          | N             | 0                  |
| 1210-4.21      | PREPAT PVMT MRKNG FLM-6" LN    | LF           | 5600-650          | N             | 0                  |
| 1210-4.22      | PREPAT PVMT MRKNG FLM-8" LN    | LF           | 5600-650          | N             | 0                  |

## Standard Item List

| <u>Item No</u> | <u>Description</u>             | <u>Units</u> | <u>Account No</u> | <u>P Type</u> | <u>Order Field</u> |
|----------------|--------------------------------|--------------|-------------------|---------------|--------------------|
| 1210-4.23      | PREPAT PVMT MRKNG FLM-24" LN   | LF           | 5600-650          | N             | 0                  |
| 1210-4.24      | PREPAT PVMT MRKNG FLM-MESSAGE  | SF           | 5600-650          | N             | 0                  |
| 1210-4.3       | PREPAT PVMT MRKNG FLM MSKD-4"  | LF           | 5600-650          | N             | 0                  |
| 1210-4.31      | PREPAT PVMT MRKNG FLM MSKD-6"  | LF           | 5600-650          | N             | 0                  |
| 1210-4.32      | PREPAT PVMT MRKNG FLM MSKD-8"  | LF           | 5600-650          | N             | 0                  |
| 1210-4.33      | PREPAT PVMT MRKNG FLM MSKD-24" | LF           | 5600-650          | N             | 0                  |
| 1210-4.34      | PREPAT PVMT MRKG FLM-MSKD MSG  | SF           | 5600-650          | N             | 0                  |
| 1210-4.4       | PREPAT PVMT MRKNG FLM GRVD-4"  | LF           | 5600-650          | N             | 0                  |
| 1210-4.41      | PREPAT PVMT MRKNG FLM GRVD-6"  | LF           | 5600-650          | N             | 0                  |
| 1210-4.42      | PREPAT PVMT MRKNG FLM GRVD-8"  | LF           | 5600-650          | N             | 0                  |
| 1210-4.43      | PREPAT PVMT MRKNG FLM GRVD-24" | LF           | 5600-650          | N             | 0                  |
| 1210-4.44      | PREPAT PVMT MRKNG FLM GRVD-MSG | SF           | 5600-650          | N             | 0                  |
| 1210-4.5       | OBLITERATION OF PVMT MRKNG     | SF           | 5600-650          | N             | 0                  |
| 1211-4.1       | TRAFFIC CONTROL                | LS           | 5600-650          | N             | 0                  |
| 1212-4.1       | ROAD CLOSED - TYPE III         | EA           | 5600-200          | N             | 0                  |
| 1212-4.2       | RELOCATE ROAD CLOSED           | EA           | 5600-200          | N             | 0                  |